

# **Case-control Study Of The Association Between The Use Of Cellular And Cordless Telephones And Malignant Brain Tumors Diagnosed During 2000-2003 [An Article From: Environmental Research] [HTML] [Digitized By L. Hardell;M. Carlberg;K.H. Mild**

**By L. Hardell;M. Carlberg;K.H. Mild**

A Case-control Study of the Association Between Human Exposure to Selected Chlorinated Pesticides and Primary Hepatocellular Carcinoma. Zhao, Benhua 1; Liu, Feng 2

[http://journals.lww.com/epidem/Fulltext/2011/01001/A\\_Case\\_control\\_Study\\_of\\_the\\_Association\\_Between.424.aspx](http://journals.lww.com/epidem/Fulltext/2011/01001/A_Case_control_Study_of_the_Association_Between.424.aspx)

A Large National Cohort Study of the Association between Bisphosphonates and Osteonecrosis of the Jaw in Patients with Osteoporosis A Nested Case-control Study

<http://jdr.sagepub.com/content/early/2015/05/22/0022034515587862.abstract?rs=s=1>

We sought to investigate the extent to which social factors correlate with self-harm in this case control study. association persisted between case status

<http://www.biomedcentral.com/1471-244X/13/101>

Case-control study on the association of upper gastrointestinal bleeding and nonsteroidal anti-inflammatory drugs in Japan Choitsu Sakamoto,

<http://link.springer.com/article/10.1007%2Fs00228-006-0171-6>

Abstract. Background: Gout has been a significant metabolic disorder for Chinese men in Taiwan; however, there is insufficient information on diet and

<http://ajcn.nutrition.org/content/78/4/690.abstract>

A case control study design this finding is consistent only with hospital admission and house hold contact risk factors which have no association on both studies.

<http://www.hindawi.com/journals/ipid/2012/354656/>

Nested Case-Control Study of the Association of Circulating Levels of Serum Insulin-like Growth Factor I and Insulin-like Growth Factor Binding Protein

<http://cebp.aacrjournals.org/content/17/8/2097.full>

May 08, 2011 Epidemiologists commonly measure this using measures of strength of association and through the the output from a case control study will be the odds

[http://en.wikivet.net/Measures\\_of\\_strength\\_of\\_association](http://en.wikivet.net/Measures_of_strength_of_association)

A CASE-CONTROL STUDY OF THE ASSOCIATION OF SICKLE CELL TRAIT A case-control study of the association To test for a possible association between this

<http://aje.oxfordjournals.org/content/118/2/288.abstract>

CETP TaqIB genotype modifies the association between alcohol and coronary heart disease: The INTERGENE case-control study

[http://www.alcoholjournal.org/article/S0741-8329\(14\)20056-5/fulltext](http://www.alcoholjournal.org/article/S0741-8329(14)20056-5/fulltext)

Abstract. A case-control study was performed to investigate the association between colic of all types in Swedish horses and infection with the equine tapeworm

<http://www.sciencedirect.com/science/article/pii/S0304401713003944>

A case-control study is designed comparing the frequency of the exposure in the case group to the control Case-control studies may prove an association but

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC1706071/>

The objective of the present case-control study was to examine associations between In the Nurses' Health Study, an inverse association between 3 PUFAs and

<http://aje.oxfordjournals.org/content/166/2/181.full>

Case-control study of the association between malignant brain tumours diagnosed between 2007 The next study from the Hardell group included cases diagnosed in

<http://www.spandidos-publications.com/ijo/43/6/1833>

Research; Association between Association between cardiovascular events and sodium-containing effervescent, dispersible, and soluble drugs: nested case-control study

<http://www.bmj.com/content/347/bmj.f6954>

Environmental Research 100 (2006) 232 241 Case control study of the association between the use of cellular and cordless telephones and malignant  
<http://www.rebprotocol.net/November2007/Case-control%20study%20associatio n%20between%20use%20of%20cellular%20&%20cordless%20phones%20&%2 0malignant%20brain%20tumors%20%202000-2003%20%20Hardell,%20Carlber g,%20Mild%202006%2010pp.pdf>

Feb 25, 2009 equivalent. In case control study , AR is a measure of association based on the absolute difference between two

[http://www.slideshare.net/gane\\_spm/measures-of-association](http://www.slideshare.net/gane_spm/measures-of-association)

Looking at cross-sectional and case-control studies in the setting of a cohort makes clear how they sample Measures of Association in a Cohort Study .

<https://ctspedia.org/do/view/CTSpedia/CohortStudy>

Answer to A case-control study looked at the association of alcohol use with the occurrence of coronary heart disease (CHD). T

<http://www.chegg.com/homework-help/questions-and-answers/case-control-study -looked-association-alcohol-use-occurrence-coronary-heart-disease- chd--3-q3512726>

Analytic Epidemiology: types of study Case control Study. Ecologic Comparison study. an assessment of the association between exposure rates and disease  
<https://quizlet.com/17667704/analytic-epidemiology-types-of-study-designs-flash-cards/>

Clinic-based Case-control Study of the Association between Body Mass Index and Endometrial Cancer in Puerto Rican lower abdominal pain and pelvic cramping,

<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3040409/>

628 A. R. Clough and others has become a global controversy about the health effects of kava use. Serious irreversible liver damage has been reported in people

<http://www.jstor.org/stable/3865571>

Case-control study of the association between the use of cellular and cordless telephones and malignant brain tumors diagnosed during 2000-2003 [An article from

<http://www.amazon.com/Case-control-association-telephones-malignant-diagnosed/dp/B000RR76PS>

Research The association of body mass index with the risk of type 2 diabetes: a case control study nested in an electronic health records system in the United States

<http://www.dmsjournal.com/content/6/1/50>

A case-control study is a type of study design used widely, They showed a statistically significant association in a large case-control study.

<http://en.wikipedia.org/wiki/Case-control>

(the INTERHEART study): case-control study. Lancet Ounpuu S, et al, for the INTERHEART investigators. Association of psychosocial risk factors with risk of

<http://www.medscape.com/viewarticle/489738>

A case-control study examined the association between chronic Helicobacter pylori infection and coronary heart disease at young ages. In total, 1122 survivors of

<http://www.bmj.com/content/346/bmj.f25>

We did a case-control study on the association between the occurrence of bovine tuberculosis in herds in the In a case-control study of the association

<http://www.sciencedirect.com/science/article/pii/S0167587795005714>

Case-control study of the association between the use of cellular and cordless telephones and malignant brain tumors diagnosed during 2000-2003 [An article from

<http://www.amazon.com/Case-control-association-telephones-malignant-diagnosed/dp/B000RR76PS>

Prospective Case-Control Study of the Association between Common Enteric Protozoal Parasites and Diarrhea in Bangladesh

<http://cid.oxfordjournals.org/content/48/9/1191.full>

Paul I Wde Bakker, Roman Yelensky, Itsik Pe er, Stacey B Gabriel, Mark J Daly & David Altshuler. Efficiency and power in genetic association studies.

[http://en.wikipedia.org/wiki/Genetic\\_association](http://en.wikipedia.org/wiki/Genetic_association)

Vocabulary words for Chapter 7. and the rate ratio are appropriate for measuring the association in cohort studies. a nested case-control study of 362

<https://quizlet.com/33190188/chapter-7-flash-cards/>